



FISHER'S
TIMBER
TREATMENT

Pre-treatment Instructions for Customers

GENERAL REQUIREMENTS

PURCHASE ORDER MUST CONTAIN:

- ✓ SPECIES
- ✓ TIMBER PRODUCT (E.G: LVL/GLU-LAM/PLY)
- ✓ TIMBER DIMENSIONS & LENGTH
- ✓ TOTAL VOLUME - LM/M³

MIXED THICKNESS

If packs requiring treatment are comprised of mixed thickness pieces, e.g. 75mm & 35mm, they must be separated. Mixed thickness cannot be treated together as schedules/uptakes are different.

END SEAL

End-seal must be applied to all hardwood, glu-lam and LVL beams prior to H3 treatment to ensure even distribution of preservative chemicals. Fisher's can apply end-seal if requested for a small charge.

Note:

- Optimum pack size is 1100h x 1200w (maximum).
- Plastic staples recommended for treated timber.
- Plastic strapping only to be used - no steel strapping.
- SAWDUST to be removed - blown off from between beams and drill holes.
- DO NOT put sticky tape on the timber when packing.

TIMBER CONDITION

Fisher's check all product as part of our quality system requirements before treatment.

CUSTOMERS ARE ALERTED TO THE FOLLOWING ISSUES WITH THEIR PRODUCT USING OUR AUTHORITY TO PROCEED/CEASE TIMBER TREATMENT FORM:

- ✓ Damaged boards
- ✓ Blue stain/Sapstain (may result in higher uptake of chemical than normal)
- ✓ Stains/marks - timber must be clean
- ✓ Kiln dried timber only (not green)
- ✓ Moisture content must be under 20%
- ✓ Decay
- ✓ Mould

BEARERS/GLUTS

- Timber layers in packs need to be separated by gluts/binders/dividers to allow appropriate penetration of treatment chemicals.
- Gluts/binders **MUST** be the same material as timber to be treated (E.g. Hardwood with hardwood).
- Bearers **MUST** be the same material as timber to be treated, e.g. Hardwood bearers for hardwood pack or pine bearers which have already been H3 treated and can be re-used.
- Bearers **MUST** be the same size in one pack - minimum 45mm high.
- Bearers and gluts **MUST NOT** be made of compressed board (as this product is like a sponge and the uptakes are way too high).



**FISHER'S
TIMBER
TREATMENT**

FISHER'S TIMBER TREATMENT

Part of the Fisher's Group

P: (03) 5134 5155

F: (03) 5133 7398

W: fisherstimbertreatment.com.au

E: admin@fisherstimbertreatment.com.au

A: 30 Swan Road, Morwell, VIC, Australia, 3840